

MATERIAL SAFETY DATA SHEET

Date of Issue: 20 June 2011

Product Name: Gambles Paste/Liquid Wax/Wax Sticks

Section 1 - Identification of the Material and Supplier

COMPANY DETAILS: The Flood Company Australia P/L
ACN 92 003 024 600
4 Nelson Avenue Padstow NSW 2211
Ph: 02 9790 5158, 1800 226-113
Fax: 02 9709-2604
Poisons Info Line 13 11 26

PRODUCT:

Product Name: Gambles Paste/Liquid Wax / Wax Sticks

Other Names

PRODUCT USE Polishing/nourishing all wooden surfaces. Wax sticks to fill cracks etc. Wipe on with clean cloth and apply suitable pressure with circular rubbing motion. Allow to fully dry and buff to a gloss finish. Work the wax stick into the crack, defect etc.

Manufacturer's Product Code: Not applicable

Section 2 - Hazards Identification

Classified as Non Hazardous according to the Approved Criteria For Classifying Hazardous Substances [NOHSC:1008] 3rd Edition.

Classified as Non Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

Section 3 - Composition/Information on Ingredients

Chemical Entity: Beeswax, Paraffin Wax, High b.p. white oil.
N.B. Ingredients less than 3% are not listed.

Section 4 First Aid Measures

SWALLOWED

If swallowed **DO NOT INDUCE VOMITING**. Milk drinks may help. Seek immediate medical assistance if patient becomes distressed or ill. If in doubt, contact a Poisons Information Centre or a doctor.

EYE

If this product comes in contact with eyes: Flush thoroughly until irritation has passed. If irritation continues, seek medical attention.
Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

Wash affected areas with soap and water; consult a physician if irritation persists.

INHALED

If dust is inhaled, remove from contaminated area.
Encourage patient to blow nose to ensure clear passage of breathing.
If irritation or discomfort persists seek medical attention.

MATERIAL SAFETY DATA SHEET

Date of Issue: 20 June 2011

Product Name: Gambles Paste/Liquid Wax/Wax Sticks

NOTES TO PHYSICIAN

Treat symptomatically.

Section 5 Fire Fighting Measures

Extinguishing Media: Use water spray, carbon dioxide or dry chemical to extinguish fires. Use water to keep containers cool. Wear self-contained positive pressure breathing apparatus.

Hazard from Combustion Products

Combustible solid.

Avoid generating dust. In common with many organic chemicals, may form flammable dust clouds in air.

Incompatible with strong oxidising agents, strong acids, alkalis and sources of ignition.

On burning this product will emit toxic fumes of oxides of carbon, oxides of nitrogen and oxides of sulphur.

Special protective measures for fire fighters

Wear self contained positive pressure self contained breathing apparatus

Unusual Fire and Explosion Hazards:

None. The material will melt and ignite if heated to over 100 °C

Section 6 Accidental Release Measures

EMERGENCY PROCEDURES

In the unlikely event of a spill, scrape up excess and dispose of in normal household/factory waste.

This material must not be allowed to enter drains, sewers or waterways

Section 7 Handling and Storage

Engineering Controls: N/A

Keep from freezing; do not store over 25 C

Section 8 Exposure Controls/Personal Protection

Over Exposure Symptoms.

Inhalation: No effects.

Eyes and Skin: No known effect on skin. May cause slight irritation to eyes

Swallowed: No known effects.

Primary route of exposure:

Skin contact

Personal Protection:

Respiratory: None required under normal use.

Eye: None required.

MATERIAL SAFETY DATA SHEET

Date of Issue: 20 June 2011

Product Name: Gambles Paste/Liquid Wax/Wax Sticks

Hand: Use of rubber gloves is recommended if required

Section 9 Physical and Chemical Properties

APPEARANCE

Natural or Brown Paste/Semi Paste

Section 10 Stability and Reactivity

CONDITIONS CONTRIBUTING TO INSTABILITY

Product is considered stable and hazardous polymerisation will not occur.

Section 11 Toxicological Information

Toxicity Information.

The product is essentially non-toxic.

Over Exposure Symptoms.

Inhalation: No effects.

Eyes and Skin: No known effect on skin. May cause slight irritation to eyes

Swallowed: No known effects.

Primary route of exposure:

Skin contact

Other Exposure info. Worksafe Australia has assigned the following exposure standard for oil mist:

SUBSTANCE	TWA (8 Hr) Ppm mg/m ³	STEL (15 Min) ppm mg/m ³
Oil	- 5	- 10

Eng. Controls: Use adequate ventilation to keep the airborne concentration of this material below the WORKSAFE exposure standards for mineral oil mists. Local exhaust ventilation and / or enclosure of the process are preferred in these cases.

Section 12 Ecological Information

Ecotoxicity:

No data available

Section 13 Disposal Considerations

In the unlikely event of a spill, scrape up excess and dispose of in normal household or factory waste.

Section 14 Transport Information

UN Number: Not Applicable

Dangerous Goods Class and Subsidiary Risk: Not Applicable

Packing Group: Not Applicable

Hazchem Code: Not Applicable

Number Poisons Schedule: Not applicable

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN, IATA or IMDG

MATERIAL SAFETY DATA SHEET

Date of Issue: 20 June 2011

Product Name: Gambles Paste/Liquid Wax/Wax Sticks

Section 15 Regulatory Information
--

POISONS SCHEDULE

None

Section 16 Other Information

Keep out of reach of children.

The above information is believed to be correct with respect to the formula used in manufacture of the product. As data, standards and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.